



**Insulated T-piece kit**

Guarantees complete insulation and sealing of branch connections between Uno, Duo and Quadro pipes. Kit comprises 2 halves in HDPE, rock wool insulation, sealer kit, stainless steel bolts and assembly instructions.

	Microflex pipe with casing $d_{out}$	L	W	H	Weight
Art. No.	mm	mm	mm	mm	kg
<b>MT129075</b>	125/90/75	960	590	200	5,5
<b>MT201612</b>	200/160/125	1170	750	270	8,0

Heat shrinkable caps to be ordered separately!



**Reductions for insulated T-piece kit MT201612**

Used where the difference in diameter at a transition is too big. Reductions comprise an outside casing with interior insulation and a shrink sleeve. The reduction is pressed into the insulated T-piece kit.

Art. No.	Description
<b>MR24116075</b>	160 to 75 reduction
<b>MR24116090</b>	160 to 90 reduction



**Insulated I-piece kit**

Guarantees complete insulation and sealing of straight extensions of Uno, Duo and Quadro pipes. Kit comprises 2 halves in HDPE, rock wool insulation, sealer kit, stainless steel bolts and assembly instructions.

	Microflex pipe with casing $d_{out}$	L	W	H	Weight
Art. No.	mm	mm	mm	mm	kg
<b>MM129075</b>	125/90/75	960	290	200	4,5
<b>MM201612</b>	200/160/125	1170	345	270	5,5

Heat shrinkable caps to be ordered separately!

## UNDERGROUND INSULATION KITS

32



### Insulation kit I variant

Guarantees complete insulation and sealing of straight extensions of Uno, Duo and Quadro pipes. Kit comprises a smooth black HDPE pipe, rock wool insulation, 2 shrink sleeves, adhesive tape and assembly instructions.

	Microflex pipe with casing $d_{out}$	L	MM insulation kit $d_{out}$	Weight
Art. No.	mm	mm	mm	kg
<b>MM75/90</b>	75/90	700	110	1,8
<b>MM125</b>	125	850	140	2,5
<b>MM160</b>	160	1000	180	4,0
<b>MM200</b>	200	1000	225	6,0

Heat shrinkable caps to be ordered separately!



### Insulated elbow 90° piece kit

Guarantees complete insulation and sealing of perpendicular connections between Uno, Duo and Quadro pipes.

Kit comprises 2 halves in HDPE, rock wool insulation, sealer kit, stainless steel bolts and assembly instructions.

	Microflex pipe with casing $d_{out}$	L	W	H	Weight
Art. No.	mm	mm	mm	mm	kg
<b>MH201612</b>	200/160/125	740	740	270	7,5

Heat shrinkable caps to be ordered separately!



### Insulated trouser piece kit

Guarantees complete insulation and sealing of straight extensions between 1 Quadro and 2 Duo or 1 Duo to 2 Uno pipes.

Kit comprises 2 halves in HDPE, rock wool insulation, sealer kit, stainless steel bolts and assembly instructions.

	Microflex pipe with casing $d_{out}$	L	W	H	Weight
Art. No.	mm	mm	mm	mm	kg
<b>MBR201612</b>	200/160/125	1170	460	230	7,0

Heat shrinkable caps to be ordered separately!

## UNDERGROUND INSULATION KITS



### Inspection chamber

Used to connect Uno, Duo and Quadro pipes. The HDPE inspection chamber has 6 connection points, enables connections of different pipes and integration of shut off valves. Kit comprises inspection chamber, lid, stainless steel bolts, sealer kit and assembly instructions.

	Microflex pipe with casing $d_{out}$	Diameter MIS	H	Weight
Art. No.	mm	mm	mm	kg
<b>MIS</b>	200/160/125	810	770	35

Heat shrinkable caps to be ordered separately!

	Outside casing $d_{out}$	Length
Art. No.	mm	mm
<b>MHM125</b>	125	220
<b>MHM160</b>	160	220
<b>MHM235</b>	200	220